

eFTI Insights #2 eFTI Implementation for Member States

Wednesday, June 11 2025



Agenda

TIME	PROGRAMME	NOTE
14:30	Welcome and introduction	Enriko Laanemäe/Eva Killar (Estonian Ministry of Climate – eFTI4EU Project Coordinators)
14:35	Why are the use cases helpful and how to read them?	Marco Gorini (CIRCLE) and Ulrika Hurt (DLK)
15:25	Authority Access Point – all you need to know What is an Authority Access Point in eFTI context How to build it What are the options Recommendations	Benedikt Simon (BALM)
15:45	Q&A Session	
16:00	Conclusion	





Welcome and Introduction

Enriko Laanemäe/Eva Killar (Estonian Ministry of Climate – eFTI4EU Project Coordinators)



How eFTI works in real life logistics

Marco Gorini (CIRCLE)
Ulrika Hurt (DLK)



How eFTI works in real life logistics

Why are the use cases helpful and how to read them?

Marco Gorini, Magellan Circle Italy Ulrika Hurt, Digilogistika Keskus (DLK)



How eFTI works in real life logistics

- Session contents:
- 1. Representative B2B use cases for road
- 2. Representative B2A use cases for road
- 3. Identification, Authentication and Authorization (IAA) in B2A use cases





1

Representative B2B use cases for road

Development of reference use cases by the European Commission

- Development process
- Identification and prioritization of representative transport domains (road, rail, dangerous goods, etc.)
- Identification and invitation of relevant experts and stakeholders to cooperate
- Joint definition of representative B2B use cases
- Workshops and review
- Presentation of B2B use cases to DTTF (Member States representatives)
- Definition of representative B2A use cases on top of B2B processes
- Public presentations (DTLF and public webinars)



Presentation of reference B2B scenario (road + short sea navigation) RC1 - TE1 -TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL Tranship C1 and C2 Detach Disembark Load C1 Load C2 Load C3 Unload C1 TM2 and semitrailer (yellow) (green) (pink) and C2 from TM1 semitrailer to TM3 **Transport** Attach Detach semitrailer semitrailer operations to TM2 from TM2 **Jakobstad** Board TM2 Tranship C3 Unload C3 and to TM4 Sweden semitrailer 9 Sundsvall Jyväskylä Finland Hudiksvall Nokia On Tampere Hämeenlinna Naantali D @ Tallinn Narva



Presentation of reference B2B scenario (road + short sea navigation)

- S1 = Shipper 1 (consignment 1)
- C1 = Consignment 1 (yellow), A to G
- S2 = Shipper 2 (consignment 2)
- C2 = Consignment 2 (green), B to G
- S3 = Shipper 3 (consignment 3)
- C3 = Consignment 3 (pink), C to H
- FF = Freight Forwarder (serves S1, S2, S3, contracts RC1, RC2, RC3, SSL)
- CO1 = Consignee 1
- CO2 = Consignee 2

- RC1 = Road Carrier 1 (Finnish)
- RC2 = Road Carrier 2 (Swedish)
- RC3 = Road Carrier 3 (Swedish)
- SSL = Short-sea Shipping Line (Swedish)
- TM1 = Truck 1 (operated by RC1)
- TM2 = Truck 2 (operated by RC1)
- TM3 = Truck 3 (operated by RC2)
- TM4 = Truck 4 (operated by RC3)
- TE1 = Semi-trailer 1 (owned by RC1)




B2B use case 1 - Centralized B2B transport document management

- The freight forwarder (FF) acts as the single contractual carrier towards the shippers (carrier contracting without performing the carriage) and is in charge of managing all transport documents (on behalf of carriers)
- The freight forwarder operates an eFTI platform that implements both B2B services (e-CMR) and B2A services (eFTI) in an integrated way (in-house model)
- Each road carrier (RC1, RC2, RC3) operates a Transport Management System (TMS) acting as a tributary system of the master eFTI Platform operated by the freight forwarder
- The freight forwarder produces a single, end-to-end e-CMR per consignment (e-CMR1, e-CMR2, e-CMR3)
- For showing compliance with the transport regulation, the road carriers use the documents produced by the freight forwarder
- The eFTI platform of the freight forwarder features a mobile application used by all the drivers to collect signatures and to show the UILs and the human-readable versions of eFTI datasets



B2B use case 1 - Centralized B2B transport document management





B2B use case 1 - Centralized B2B transport document management RC1 - TE1 -TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL RC1 - TE1 - TM2 Disembark Tranship Detach Load C1 Load C2 Load C3 Unload C1 C1 and C2 semitrailer TM2 and (yellow) and C2 (green) (pink) from TM1 semitrailer to TM3 **Transport** Attach Detach semitrailer semitrailer operations to TM2 from TM2 Board TM2 Tranship C3 Unload C3 to TM4 semitrailer e-CMR1 Source for regulatory e-CMR2 information in scope of eFTI e-CMR3 CMDS1 CMDS4 CMDS7 TE1 TM1 F TE1 TM2 G TM3 **eFTI Consignment** CMDS2 CMDS5 CMDS8 **Movement Dataset (CMDS)** TE1 TM1 F TE1 TM2 TM3 CMDS3 CMDS6 CMDS9 TE1 TM1 F TE1 D TM4




B2B use case 2 - Individual B2B transport document management

- Each road carrier (RC1, RC2, RC3) operates an eFTI Platform that implements both B2B services (e-CMR) and B2A services (eFTI) in an integrated way (in-house model)
- The freight forwarder operates a Transport Management System (TMS) acting as a tributary system of all the three platforms operated by the road carriers
- The road carrier 1 (RC1) covers the international stretch until the distribution center; as such, it produces one CMR per consignment (e-CMR1, e-CMR2, e-CMR3)
- The road carriers 2 and 3 (RC2, RC3) cover the domestic stretch from the distribution center to the final delivery points; as such, they produce one national consignment note per consignment (e-CN4, e-CN5, e-CN6)
- For showing compliance with the transport regulation, the road carriers use the documents produced by themselves
- All the three eFTI platforms of the road carriers feature a mobile application used by the respective drivers to collect signatures and to show the UILs and the human-readable versions of eFTI datasets



B2B use case 2 - Individual B2B transport document management





B2B use case 2 - Individual B2B transport document management RC1 - TE1 -TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL RC1 - TE1 - TM2 Disembark Tranship Detach Load C1 Load C2 Load C3 Unload C1 C1 and C2 semitrailer TM2 and (yellow) and C2 (green) (pink) from TM1 semitrailer to TM3 **Transport** Attach Detach semitrailer semitrailer operations to TM2 from TM2 Board TM2 Tranship C3 Unload C3 and to TM4 semitrailer e-CMR1 e-CN4 Source for regulatory e-CMR2 e-CN5 information in scope of eFTI e-CMR3 e-CN6 CMDS1 CMDS4 CMDS7 TE1 TM1 F TE1 TM2 G TM3 **eFTI Consignment** CMDS2 CMDS5 CMDS8 **Movement Dataset (CMDS)** TE1 TM1 F TE1 TM2 TM3 CMDS3 CMDS6 CMDS9 TE1 TM1 F TE1 D TM4



B2B use case 3 - Outsourced B2B transport document management

- The service provider (SP) operates an eFTI platform that implements both B2B services (e-CMR) and B2A services (eFTI) on behalf of the road carriers (outsourced model)
- The road carriers 1 and 2 (RC1, RC2) operate a Transport Management System (TMS)
 acting as a tributary system of the master eFTI platform operated by the service provider
- The road carrier 3 (RC3) represents an actor with limited digital maturity; as such, it has no digital interoperability with other actors, and all planning/operational/documental activities are carried out manually




B2B use case 3 - Outsourced B2B transport document management

- The road carrier 1 (RC1) covers the international stretch until the distribution center; as such
 it produces one CMR per consignment (e-CMR1, e-CMR2, e-CMR3)
- The road carriers 2 and 3 (RC2, RC3) cover the domestic stretch from the distribution center to the final delivery points; as such, they produce one national consignment note per consignment (e-CN4, e-CN5, e-CN6)
- For showing compliance with the transport regulation, the road carriers use the documents produced by the service provider (on their behalf)
- The eFTI platform of the service provider features a mobile application used by all the drivers to collect signatures and to show the UILs and the human-readable versions of eFTI datasets



B2B use case 3 - Outsourced B2B transport document management





B2B use case 3 - Outsourced B2B transport document management RC1 - TE1 -TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL RC1 - TE1 - TM2 Disembark Tranship Detach Load C1 Load C2 Load C3 Unload C1 C1 and C2 semitrailer TM2 and (yellow) and C2 (green) (pink) from TM1 semitrailer to TM3 **Transport** Attach Detach semitrailer semitrailer operations to TM2 from TM2 Board TM2 Tranship C3 Unload C3 and to TM4 semitrailer e-CMR1 e-CN4 Source for regulatory e-CMR2 e-CN5 information in scope of eFTI e-CMR3 e-CN6 CMDS1 CMDS4 CMDS7 TE1 TM1 F TE1 TM2 G TM3 **eFTI Consignment** CMDS2 CMDS5 CMDS8 **Movement Dataset (CMDS)** TE1 F TE1 TM2 TM3 CMDS3 CMDS6 CMDS9 TE1 TM1 F TE1 D TM4





2


Representative B2A use cases for road

Reference B2A use cases for presented B2B use cases RC1 - TE1 -TM2 RC1 - TE1 - TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL Tranship C1 and C2 Disembark Detach Load C1 Load C2 Load C3 Unload C1 TM2 and semitrailer (yellow) (green) (pink) and C2 from TM1 semitrailer to TM3 **Transport** Attach Detach semitrailer semitrailer operations from TM2 to TM2 **Jakobstad** Board TM2 Tranship C3 Unload C3 and to TM4 Sweden * Kramfors semitrailer 9 Sundsvall Jyväskylä Finland Hudiksvall Nokia On Tampere Hämeenlinna Naantali D @ Tallinn Narva



Reference B2A use cases for presented B2B use cases RC1 - TE1 -TM2 RC1 - TE1 - TM2 RC1 - TE1 - TM1 RC1 - TE1 - TM1 RC1 - TE1 - TM1 SSL Roadside controls **Jakobstad** O Vaasa Sweden Jyväskylä Finland P Hudiksvall Hämeenlinna Q Borlänge








B2A use case 1 - Direct dataset retrieval from UIL (B2B use case 1)


- Subcase 1 roadside check between A and B
- The Finnish CA Officer scans the UIL1 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL1 to the Finnish AAP
- 3. The Finnish AAP attaches CA Officer access rights and forwards the request to the Finish eFTI Gate
- The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 6. The Finnish eFTI Gate returns the eFTI dataset to the Finnish AAP
- 7. The Finnish AAP returns the eFTI dataset to the User Application
- 8 The User Application displays the retrieved eFTI Dataset





B2A use case 1 - Direct dataset retrieval from UIL (B2B use case 1)


- Subcase 2 roadside check between E and F
- The Swedish CA Officer scans the UIL5 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL5 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- 4. The Swedish eFTI Gate forwards the request to the Finnish eFTI Gate
- 5. The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- 6. The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 7. The Finnish eFTI Gate returns the eFTI dataset to the Swedish eFTI Gate
- 8. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 9. The Swedish AAP returns the eFTI dataset to the User Application.
- 10. The User Application displays the retrieved eFTI Dataset





B2A use case 1 - Direct dataset retrieval from UIL (B2B use case 1)


- Subcase 3 roadside check between F and H
- The Swedish CA Officer scans the UIL9 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL9 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- The Swedish eFTI Gate forwards the request to the Finnish eFTI Gate
- 5. The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- 6. The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 7. The Finnish eFTI Gate returns the eFTI dataset to the Swedish eFTI Gate
- 8. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 9. The Swedish AAP returns the eFTI dataset to the User Application.
- 10. The User Application displays the retrieved eFTI Dataset





B2A use case 2 - Direct dataset retrieval from UIL (B2B use case 2)


- Subcase 1 roadside check between A and B
- The Finnish CA Officer scans the UIL1 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL1 to the Finnish AAP
- 3. The Finnish AAP attaches CA Officer access rights and forwards the request to the Finnish eFTI Gate
- The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 6. The Finnish eFTI Gate returns the eFTI dataset to the Finnish AAP
- 7. The Finnish AAP returns the eFTI dataset to the User Application
- 8 The User Application displays the retrieved eFTI Dataset





B2A use case 2 - Direct dataset retrieval from UIL (B2B use case 2)


- Subcase 2 roadside check between E and F
- The Swedish CA Officer scans the UIL5 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL5 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- The Swedish eFTI Gate forwards the request to the Finnish eFTI Gate
- 5. The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- 6. The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 7. The Finnish eFTI Gate returns the eFTI dataset to the Swedish eFTI Gate
- 8. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 9. The Swedish AAP returns the eFTI dataset to the User Application.
- 10. The User Application displays the retrieved eFTI Dataset





B2A use case 2 - Direct dataset retrieval from UIL (B2B use case 2)


- Subcase 3 roadside check between F and H
- The Swedish CA Officer scans the UIL9 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL9 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- The Swedish eFTI Gate locates the eFTI Platform and delivers the request
- 5. The eFTI Platform builds the eFTI dataset and returns it to the Swedish eFTI Gate
- 6. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 7. The Swedish AAP returns the eFTI dataset to the User Application
- 8. The User Application displays the retrieved eFTI Dataset





B2A use case 3 - Direct dataset retrieval from UIL (B2B use case 3)


- Subcase 1 roadside check between A and B
- The Finnish CA Officer scans the UIL1 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL1 to the Finnish AAP
- 3. The Finnish AAP attaches CA Officer access rights and forwards the request to the Finish eFTI Gate
- The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 6. The Finnish eFTI Gate returns the eFTI dataset to the Finnish AAP
- 7. The Finnish AAP returns the eFTI dataset to the User Application
- 8 The User Application displays the retrieved eFTI Dataset





B2A use case 3 - Direct dataset retrieval from UIL (B2B use case 3)


- Subcase 2 roadside check between E and F
- The Swedish CA Officer scans the UIL5 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL5 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- The Swedish eFTI Gate forwards the request to the Finnish eFTI Gate
- 5. The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- 6. The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 7. The Finnish eFTI Gate returns the eFTI dataset to the Swedish eFTI Gate
- 8. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 9. The Swedish AAP returns the eFTI dataset to the User Application.
- 10. The User Application displays the retrieved eFTI Dataset





B2A use case 3 - Direct dataset retrieval from UIL (B2B use case 3)


- Subcase 3 roadside check between F and H
- The Swedish CA Officer scans the UIL9 from her/his User Application
- 2. The User Application sends a dataset retrieve request for UIL9 to the Swedish AAP
- 3. The Swedish AAP attaches CA Officer access rights and forwards the request to the Swedish eFTI Gate
- The Swedish eFTI Gate forwards the request to the Finnish eFTI Gate
- 5. The Finnish eFTI Gate locates the eFTI Platform and delivers the request
- 6. The eFTI Platform builds the eFTI dataset and returns it to the Finnish eFTI Gate
- 7. The Finnish eFTI Gate returns the eFTI dataset to the Swedish eFTI Gate
- 8. The Swedish eFTI Gate returns the eFTI dataset to the Swedish AAP
- 9. The Swedish AAP returns the eFTI dataset to the User Application.
- 10. The User Application displays the retrieved eFTI Dataset





B2A use case 4 - Search by transport means ID


- Subcase 1 roadside check between A and B
- 1. The Finnish CA Officer starts a search operation for transport means ID (license plate) = TM1 from her/his User Application
- 2. The User Application sends the search request to the Finnish AAP
- 3. The Finnish AAP forwards the search request to the Finnish eFTI Gate
- 4. The Finnish eFTI Gate looks up its Registry of Identifiers searching for transport means ID = TM1; 1 match found
- 5. The Finnish eFTI Gate forwards the search request to all other EU eFTI Gates
- 6. All queried eFTI Gates look up their Registry of Identifiers searching for transport means ID = TM1; no match found
- 7. All queried eFTI Gates return their match lists to the Finnish eFTI Gate
- 8 The Finnish eFTI Gate aggregates all other gates' responses and returns the match list to the Finnish AAP
- The Finnish AAP returns the aggregated match list to the User Application
- 10. The User Application displays the aggregated match list (1 match)







- 1. The Swedish CA Officer starts a search operation for transport means ID (license plate) = TM2 from her/his User Application
- 2. The User Application sends the search request to the Swedish AAP
- The Swedish AAP forwards the search request to the Swedish eFTI Gate
- 4. The Swedish eFTI Gate looks up its Registry of Identifiers searching for transport means ID = TM2; no match found
- 5. The Swedish eFTI Gate forwards the search request to all other EU eFTI Gates
- 6. All queried eFTI Gates look up their Registry of Identifiers searching for transport means ID = TM2; 3 matches found on Finnish eFTI Gate
- 7. All queried eFTI Gates return their match lists to the Swedish eFTI Gate
- 8 The Swedish eFTI Gate aggregates all other gates' responses and returns the match list to the Swedish AAP
- 9. The Swedish AAP returns the aggregated match list to the User Application
- 10. The User Application displays the aggregated match list (3 matches)






B2A use case 4 - Search by transport means ID



- 1. The Swedish CA Officer starts a search operation for transport means ID (license plate) = TM4 from her/his User Application
- 2. The User Application sends the search request to the Swedish AAP
- The Swedish AAP forwards the search request to the Swedish eFTI Gate
- 4. The Swedish eFTI Gate looks up its Registry of Identifiers searching for transport means ID = TM4; 1 match found
- 5. The Swedish eFTI Gate forwards the search request to all other EU eFTI Gates
- 6. All queried eFTI Gates look up their Registry of Identifiers searching for transport means ID = TM4; no match found
- 7. All queried eFTI Gates return their match lists to the Swedish eFTI Gate
- 8 The Swedish eFTI Gate aggregates all other gates' responses and returns the match list to the Swedish AAP
- The Swedish AAP returns the aggregated match list to the User Application
- 10. The User Application displays the aggregated match list (1 match)







Identification, Authentication and Authorization (IAA) in B2A use cases

Actors – Competent authorities

Identification and Authentication

- Member states must ensure ensure mechanisms for the identification and authentication of of competent authorities' officers
- Competent authorities' officers are only able to access the CA User application when duly identified and authenticated




Actors – Competent authorities

Authorisation

- Member States shall ensure that the rights of their competent authority officers to access and process eFTI data are recorded and kept up to date in an authorisation registry.
- •The authorisation registry shall include, for each competent authority officer:
- a reference to the Identification of the officer
- the access rights expressed as the list of references of the Union and national legal acts that require the provision of regulatory information, in relation to which the respective officer has competences and, more specifically, as the list of the respective identifiers of the eFTI data subsets corresponding to those provisions
- the processing rights expressed as coded references to the processing operations that the officer has the right to perform




Ecosystem (eFTI Reference Architecture)






Interactions and actors in eFTI exchange environment





Human-to-machine interfaces (HMI) - CA






Actors – CA authorisation - example Private sector domain eFTI platform processes eFTI platform compiles 6 eFTI Platform eFTI dataset response eFTI dataset request based on CA access based on CA access user rights rights other APIs **eDelivery** Other APIs (optional) ublic sector domain Registry of eFTI gate forwards Identifiers (ROI) eFTI Gate request to the eFTI eFTI gate forwards platform owner of the response eFTI Dataset Authorisation registry (example) AAP processes the Ref. Officer access rights (Subset list) Operations AAP request and adds the AAP forwards response CAID01 EU02:BE01:BE02:BE03a Read eFTI data access rights of the CA Officer CA scans QR code, or **CA User Application** CA receives eFTI dataset searches ROI, for eFTI corresponding to dataset retrieval Officer



Human-to-machine interfaces (HMI) – Economic Operator (EO)



Thanks!



CONTACT

gorini@circletouch.eu ulrika@digilogistics.eu

DISCOVER MORE AT

www.efti4eu.eu







Disclaime

The views represented in this document only reflect the views of the authors and not the views of the Directorate-General for Research and Innovation (DG RTD) of the European Commission. DG RTD and other European Commission Services are not liable for any use that may be made of the information contained in this document. Furthermore, the information provided "as is" and no guarantee or warranty is given that the information is fit for any particular purpose. The user of the information uses it as its sole risk and liability.



Authority Access Point – All you need to know

Benedikt Simon (BALM)



eFTI-Authority Access Point – all you need to know -

11.06.2025 eFTI Insights Webinar #2

47

Authority Access Point (AAP)


I. What is an Authority Access Point in eFTI context?

II. Functionalities of an AAP


III.Connecting authorities to an AAP

IV.Recommendations


I. AAP in eFTI context



I. AAP in eFTI context




II. Functionalities of an AAP




11.06.2025

II. Functionalities of an AAP



III. Connecting Authorities to an AAP

(general view)



III. Connecting Authorities to an AAP

extent required by the implementing act).


(specific view)

Routing of data traffic through the AAP into the gate. Audit trail to prove the authorized use of the platform data (eFTI) by the authorities CA-App Authority **BALM User Directory** Authority **Access Point** Certified private Operational responsibility lies within the authority itself. platforms for economic operators eFTI Gate Authorization and audit trail takes place in the AAP. Definition of rights and mapping to roles can be authority-specific. Propagation of user data (BALM employees) to the gate as little as necessary (only to the

• Interface between AAP and gate as the only network connection to the authority network (trustworthy).

IV. Recommendations

Connection of various decentralized user directories to an AAP is also feasible:



Such an AAP can then also be used as an internal AAP in the Gate.



Thanks!

Bundesamt für Logistik und Mobilität

Zentrale: Werderstraße 34

50672 Köln

Postfach: 19 01 80, 50498 Köln

Benedikt Simon

Phone: +49 2215776-3102 Email: eFTI@balm.bund.de Internet: www.balm.bund.de







Thank you for joining us!